

# Safety Data Sheet

Bio-Clear

## SECTION I - IDENTIFICATION



Swepe-Tite LLC  
703 Westmoreland Drive  
Tupelo, MS 38801  
(662) 840-6060  
Chemtrec :..... (800) 424-9300

**Product Number**            BIO-CLEAR  
**Product Name**             Bio-Clear  
**Synonyms**                 NSN 6850-01-435-4052  
**CAS Number**              Multiple  
**Date Prepared**            12/27/1994  
**Revision Number**         4/19/2018  
**Recommended Use**        Industrial Use Only

## SECTION II - HAZARDOUS IDENTIFICATION

### GHS CLASSIFICATION:

#### Classification

Not a Hazardous Substance or Mixture

No Hazards

### GHS LABEL:

#### Hazard Statements

NC                    Not a Hazardous Substance or Mixture

# Safety Data Sheet

Bio-Clear

## Precautionary Statements

NC Not a Hazardous Substance or Mixture

### SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

Component Name	CAS #	Component%	OSHA PEL	ACGIH TLV
Propylene Glycol	57-55-6		Not Established	Not Established
Ethyl Alcohol	64-17-5		1000 ppm	1000 ppm
Glycol Ether	112-34-5		Not Established	10 ppm

### SECTION IV - FIRST AID MEASURES

**Contact with eyes:** Flush with water for 15 minutes. Seek immediate medical attention.

**Skin contact:** Wash exposed areas with water and mild soap. Remove contaminated clothing immediately and launder before reuse. If irritations persist, seek immediate medical attention.

**Inhalation:** Remove victim to fresh air. Administer oxygen or artificial respiration if breathing is affected or stopped. Seek immediate medical attention.

**Ingestion:** If swallowed. Do not induce vomiting. Seek immediate medical attention.

### SECTION V - FIREFIGHTING MEASURES

**Suitable Extinguishing Media:** Water fog, foam, CO<sub>2</sub>, dry chemical.

**Special Fire Fighting Procedures** Use self-contained breathing apparatus and full bunker gear in fire areas. Evacuate all unprotected personnel from area. Keep containers cool with water fog to minimize swelling taking care not to spread flames with water used for cooling.

**Unusual Fire Fighting Hazards:** Product is flammable and may be ignited by heat, sparks, flames or other sources of ignition (e.g., static electricity, pilot lights or mechanical/electrical equipment). Vapors are heavier than air and may accumulate in low areas. Vapors may travel considerable distance to a source of ignition where they can ignite, flashback or explode. May create vapor/air explosion hazard indoors, outdoors or in sewers. If container is not properly cooled, it can explode in the heat of a fire.

# Safety Data Sheet

Bio-Clear

## SECTION VI - ACCIDENTAL RELEASE MEASURES

- Personal Precautions:** Keep all sources of ignition and hot metal surfaces away from spill or release.  
Evacuate all unprotected personnel from the area.
- Environmental Precautions:** Prevent liquid from entering drains, sewers or waterways.  
Contain spill if it can be done with minimal risk.  
Notify proper authorities.
- Methods for Cleaning Up:** Using only non-sparking tools and explosion proof equipment, collect spill on absorbent material and put into approved container.

## SECTION VII - HANDLING AND STORAGE

- Handling and Storage:**
- "Empty" containers retain residue and/or vapor and may be dangerous. Do not cut, weld, braze solder, drill, grind or expose such containers to heat, flames, sparks, or other ignition sources.
  - Keep containers tightly closed when not in use.
  - Avoid prolonged breathing of mist or vapor. Wash thoroughly after handling.
  - NFPA Class III B storage.

## SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

### EXPOSURE LIMITS:

Component Name	CAS #	OSHA PEL	ACGIH TLV
Propylene Glycol	57-55-6	Not Established	Not Established
Ethyl Alcohol	64-17-5	1000 ppm	1000 ppm
Glycol Ether	112-34-5	Not Established	10 ppm

**Engineering Controls:** Adequate local or mechanical to reduce vapor or mist to below the PEL or TLV.

**Monitoring:** Not regulated by OSHA or DOT.

### Personal Protective Equipment (PPE)

**Eye Protection:** Goggles or approved OSHA device with side shields; do not wear contact lenses when handling this product.

**Skin Protection:** Impervious apron and work boots recommend where splashing may occur.

**Respiratory Protection:** Use the proper respirator in areas where the chemical exposure is unknown or above the OSHA PEL or ACGIH TLV.

# Safety Data Sheet

Bio-Clear

## SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Clear, Green Liquid
<b>Odor</b>	Slight Alcohol Odor
<b>pH@25°C</b>	-
<b>Melting/Freezing Point</b>	-
<b>Flashpoint</b>	211°F, TCC
<b>Specific Gravity</b>	1.05
<b>Solubility</b>	Complete
<b>Auto-Ignition Temperature</b>	-
<b>Decomposition Temperature</b>	-
<b>VOC Content</b>	22%
<b>Odor Threshold</b>	-
<b>Boiling Range</b>	369°F
<b>Evaporation Point</b>	<<1.0 (Butyl Acetate =1)
<b>Flammable Limits - Upper</b>	12.4%
<b>Flammable Limits - Lower</b>	2.4%
<b>Vapor Pressure</b>	0.1 mmHg @ 25°C
<b>Vapor Density (Air=1)</b>	2.6 (Air=1)
<b>Viscosity</b>	-

## SECTION X - STABILITY AND REACTIVITY

**Stability:** Stable

**Conditions to Avoid:** Extreme heat and ignition sources.

**Hazardous Decomposition/Byproducts:** CO and CO<sub>2</sub> and unidentified organic compounds may form during combustion.

**Hazardous Polymerization:** Will not occur.

**Polymerization Conditions to Avoid:** None

**Incompatibilities:** Strong oxidizers

# Safety Data Sheet

Bio-Clear

## SECTION XI - TOXICOLOGICAL INFORMATION

**Likely Route of Exposure:** Contact and inhalation; ingestion possible.

**Inhalation:** May cause irritation to the upper respiratory tract and CNS depression.

**Eye Contact:** Causes eye irritation including stinging, watering and redness which may result in corneal injury.

**Skin Contact:** Contact may cause mild skin irritation including redness, burning and drying/cracking of the skin.  
No harmful effects from skin adsorption are expected.

**Ingestion:** Aspiration hazard. Can enter the lungs during swallowing or vomiting and cause chemical pneumonia and edema.

**Acute Toxicity Value:** See Health Hazards below.

**Chronic (Long Term) Effects:** See Health Hazards above.

### Toxicity:

Component Name	LD50	LC50
Propylene Glycol	Dermal - rabbit - 20,800 mg/kg; Intramuscular - rat - 14 g/kg;	Not Established
Ethyl Alcohol	Oral - Rat - 7,060 mg/kg	Inhalation - Rat - 10 h - 20000 ppm
Glycol Ether	Oral - Rat - male - 7,291 mg/kg, Dermal - Rabbit - male - 2,764	Not Established

**Reproductive Effects** Not Applicable

**Teratogenicity** Not Applicable

**Mutagenicity** Not Applicable

**Embryotoxicity** Not Applicable

**Sensitization to Product** Not Applicable

**Synergistic Products** Not Applicable

**Carcinogenicity** Not Listed as a Carcinogen

# Safety Data Sheet

Bio-Clear

## SECTION XII - ECOLOGICAL INFORMATION

**Ecotoxicity:** Information not available.

**Mobility:** Information not available.

**Degradability:** Information not available.

**BioAccumulation:** Information not available.

## SECTION XIII - WASTE DISPOSAL CONSIDERATIONS

Follow Federal, state, and local regulations.

## SECTION XIV - TRANSPORT INFORMATION

### DOT SHIPPING INFORMATION

**Proper Shipping Name:** Not Regulated

**Contains:**

**Hazard Class and Label:**

**Identification Number:**

**Packaging Group:**

**Other Shipping Info:**

## SECTION XV - REGULATORY INFORMATION

**TSCA STATUS:**..... The components of this product are listed on the TSCA Inventory

### SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

### SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:

Acute	Chronic	Fire	Pressure	Reactive

### SARA TITLE III SECTION 313 SUPPLIER INFORMATION:

# Safety Data Sheet

## Bio-Clear

Component Name	CAS #	% by wt.
Glycol Ether	112-34-5	

### CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:

Component Name	CAS #	% by wt.	RQ (lbs.)
Glycol Ether	112-34-5		5,000 lbs

### CALIFORNIA PROPOSITION 65:

No chemicals in this material are subject to the reporting requirements.

### SECTION XVI - OTHER INFORMATION

HMIS Health: ..... 0

HMIS Flammability: ..... 1

HMIS Reactivity: ..... 0

Additional:

### Specification Information

Department issuing data sheet: Quality Control

Email address: customerservice@swepe-tite.com

Training necessary: Follow product use instructions listed on the label. Any additional questions, contact Customer Service at 662-840-6060 or email customerservice@swepe-tite.com.

### Disclaimer:

The information in this Safety Data Sheet and product label is believed to be accurate and reliable as of the date issued. Swepe-Tite makes no warranties, expressed or implied, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. Accordingly, Swepe-Tite will not be responsible for damages resulting from use of or reliance upon this information. The user is responsible for determining whether the Swepe-Tite product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application on a Swepe-Tite product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Swepe-Tite product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

