Nat-Klean DB

SECTION I - IDENTIFICATION



Rite-Kem, Inc.

645 Westmoreland Drive

Tupelo, MS 38801 (662) 840-6060

Chemtrec :...... (800) 424-9300

Product Number NAT-KLN-DB
Product Name Nat-Klean DB

Synonyms

CAS Number Multiple
Date Prepared 5/28/2015
Revision Number 4/19/2018

Recommended Use Industrial Use Only

SECTION II - HAZARDOUS IDENTIFICATION

GHS CLASSIFICATION:

Classification

Serious Eye Damage/Eye Irritation

Category 2B

WARNING!

GHS LABEL:

Hazard Statements

H320 Causes eye irritation

Nat-Klean DB

Precautionary Statements

P264 Wash... thoroughly after handling.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and

easy to do so - continue rinsing.

P337+313 If eye irritation persists get medical advice/attention.

SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

| Component Name | CAS# | Component% | OSHA PEL | ACGIH TLV |
|----------------------------|------------|------------|-----------------|-------------------|
| Alkylphenol Ethoxylate | 9016-45-9 | | Not Established | Not Established |
| Sodium Carbonate | 497-19-8 | | mg/m³ (Total Du | /m³ (Restorable [|
| DDBSA | 27176-87-0 | | Not Established | Not Established |
| Sodium phosphate, tribasic | 7758-29-4 | | Not Established | Not Established |

SECTION IV - FIRST AID MEASURES

Contact with eyes: Flush with water for 15 minutes. Seek immediate medical attention.

Skin contact: Wash exposed areas with water and mild soap. Remove contaminated clothing

immediatelyand launder before reuse. If irritations persist, seek immediate medical

attention.

Inhalation: Remove victim to fresh air. Administer oxygen or artificial respiration if breathing is

affected or stopped. Seek immediate medical attention.

Ingestion: If swallowed. Do not induce vomiting. Seek immediate medical attetntion.

Give large quantities of water . Never give anything by mouth to an unconsciuous

person.

SECTION V - FIREFIGHTING MEASURES

Suitable Extinguishing Media: Water fog, foam, CO2, dry chemical.

Special Fire Fighting Procedures Use self-contained breathing apparatus and full bunker gear in fire areas.

Evacuate all unprotected personnel from area. Keep containers cool with water fog to minimize swelling taking care not to spread flames with water

used for cooling.

Unusual Fire Fighting Hazards:

Nat-Klean DB

SECTION VI - ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Environmental Precautions: Prevent liquid from entering drains, sewers or waterways.

Contain spill if it can be done with minimal risk.

Methods for Cleaning Up: Using only non-sparking tools and explosion proof equipment, collect

spill on absorbent material and put into approved container.

SECTION VII - HANDLING AND STORAGE

Handling and Storage:

- "Empty" containers retain residue and/or vapor and may be dangerous. Do not cut, weld, braze solder, drill, grind or expose such containers to heat, flames, sparks, or other ignition sources.
- Keep containers tightly closed when not in use.
- Avoid prolonged breathing of mist or vapor. Wash thoroughly after handling.
- NFPA Class III B storage.

SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

EXPOSURE LIMITS:

| Component Name | CAS# | OSHA PEL | ACGIH TLV |
|----------------------------|------------|-----------------------|-----------------------|
| Alkylphenol Ethoxylate | 9016-45-9 | Not Established | Not Established |
| Sodium Carbonate | 497-19-8 | 10 mg/m³ (Total Dust) | mg/m³ (Restorable Du: |
| DDBSA | 27176-87-0 | Not Established | Not Established |
| Sodium phosphate, tribasic | 7758-29-4 | Not Established | Not Established |

Engineering Controls: Adequate local or mechanical to reduce vapor or mist to below the PEL or

TLV.

Monitoring: Follow accepted work practices for handling a flammable material.

Personal Protective Equipment (PPE)

Eye Protection: Goggles or approved OSHA device with side shields; do not wear contact

lenses when handling this product.

Skin Protection: Impervious solvent resistent gloves.

Impervious apron and work boots recommend where splashing may occur.

Respiratory Protection: Use the proper respirator in areas where the chemical exposure is

unknownor above the OSHA PEL or ACGIH TLV.

Nat-Klean DB

| SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES | | | |
|---|---------------------------------|--|--|
| Appearance | Blue Granulated Solid | | |
| Odor | Pleasant Odor | | |
| pH@25°C | 10.0 (1% Solution) | | |
| Melting/Freezing Point | - | | |
| Flashpoint | n/a | | |
| Specific Gravity | | | |
| Soluability | <100% | | |
| Auto-Ignition Temperature | - | | |
| Decomposition Temperature | - | | |
| VOC Content | Not Determined | | |
| Odor Threshold | - | | |
| Boiling Range | Roiling Range Not Determined | | |
| Evaporation Point | aporation Point Not Determined | | |
| Flammable Limits - Upper | e Limits - Upper Not Determined | | |
| Flammable Limits - Lower | Not Determined | | |
| Vapor Pressure | <0.1 mmHg @ 20°C | | |
| Vapor Density (Air=1) | >1 (Air=1) | | |
| Viscosity | - | | |

| Stability: | Stable |
|-------------------------------------|-----------------|
| Conditions to Avoid: | None |
| Hazardous Decomposition/Byproducts: | None known |
| Hazardous Polymerization: | Will not occur. |
| Polymerization Conditions to Avoid: | None |
| Incompatibilities: | None known |

Nat-Klean DB

SECTION XI - TOXICOLOGICAL INFORMATION

Likely Route of Exposure: Contact and inhalation; ingestion possible.

Inhalation: May cause irritation to the upper respiratory tract and CNS depression.

Low to moderate degree of toxicity by inhalation.

Eye Contact: Causes eye irritation including stinging, watering and redness which

may result in corneal injury.

Skin Contact: Contact may cause mild sking irritation including redness, burning and

drying/cracking of the skin.

No harmful effects from skin adsorption are expected.

Ingestion: Aspiration hazard. Can enter the lungs during swallowing or vomiting

and cause chemical pneumonia and edema.

Low degree of toxicity by ingestion.

Toxicity:

| Component Name | LD50 | LC50 |
|----------------------------|--|---|
| Alkylphenol Ethoxylate | Oral - Rat - 960 - 3,980 mg/kg; Dermal - Rabbit - 2,000 - 2,991 | Inhalation - Rat - 4 h - 1.15 mg/l |
| Sodium Carbonate | Oral - Rat - 4,090 mg/kg | Inhalation - Rat - 2 h - 5,750 mg/l |
| DDBSA | Not Established | Not Established |
| Sodium phosphate, tribasic | Oral - Rat - male and female - > 2,000 mg/kg; Dermal - Rabbit - | Inhalation - Rat - male and female - 4 h - > 0.39 mg/ |

| Reproductive Effects | Teratogenicity | Mutagenicity | Embryotoxicity | Sensitization to Product | Synergistic Products |
|-------------------------|----------------|----------------|----------------|-----------------------------|-------------------------|
| Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable |

SECTION XII - ECOLOGICAL INFORMATION

Ecotoxicity: Information not available.

Mobility: Information not available.

Degradability: Information not available.

BioAccumulation: Information not available.

Nat-Klean DB

SECTION XIII - WASTE DISPOSAL CONSIDERATIONS

Follow Federal, state, and local regulations.

SECTION XIV - TRANSPORT INFORMATION

DOT SHIPPING INFORMATION

Proper Shipping Name: Not Regulated

Contains:

Hazard Class and Label: Identification Number: Packaging Group: Other Shipping Info:

SECTION XV - REGULATORY INFORMATION

TSCA STATUS:..... The components of this product are listed on the TSCA Inventory

SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:

| Acute | Chronic | Fire | Pressure | Reactive |
|-------|---------|------|----------|----------|
| X | | | | |

SARA TITLE III SECTION 313 SUPPLIER INFORMATION:

No chemicals in this material are subject to the reporting requirements.

CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:

| Component Name | CAS# | % by wt. | RQ (lbs.) |
|----------------------------|------------|----------|-----------|
| DDBSA | 27126-87-0 | | 1,000 |
| Sodium phosphate, tribasic | 7758-29-4 | | 5,000 |

CALIFORNIA PROPOSITION 65:

No chemicals in this material are subject to the reporting requirements.

SECTION XVI - OTHER INFORMATION

Nat-Klean DB

Additional:

Specification Information

Department issuing data sheet: Quality Control

Email address: customerservice@ritekem.com

Training necessary: Follow product use instructions listed on the label. Any additional

questions, contact Customer Service at 662-840-6060 or email

customerservice@ritekem.com.

Disclaimer:

The information in this Safety Data Sheet and product label is believed to be accurate and reliable as of the date issued. Rite-Kem makes no warranties, expressed or implied, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. Accordingly, Rite-Kem will not be responsible for damages resulting from use of or reliance upon this information. The user is responsible for determining whether the Rite-Kem product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application on a Rite-Kem product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Rite-Kem product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.